
High performance drilling systems Dürselen PB.15 / PB.15 DoD



Dürselen PB.15 high performance drilling to perfection



PB.15: Two linear motors control precise pile positioning and facilitate automatic paper format change. Head and foot pile guides ensure consistent production.



PB.15: Smooth chrome-plated transfer rollers and the air table allow automatic processing even upon delicate materials.

Productivity

- up to 1,500 piles per hour for file hole patterns
- up to 700 piles per hour for multiple stroke patterns such as twin wire binding
- pile height up to 50 mm / 2", optionally up to 75 mm / 3"
- loose leaf, stitched, folded or perfect bound piles processed
- automated paper size change
- quick hole pattern change
- intelligent pile transport system with precision narrow hole separation down to 1mm as standard

Programmable touch screen operation makes paper format and hole pattern changes quick and easy.



Easy operation


- automatic push button paper size change
- automatic push button spine margin adjustment
- hole pattern changeover in less than 2 minutes
- hands free motorised drill belt transport, constant clean holes down to the last sheet
- touch screen with easy menu navigation
- job memory and recall for repeat work includes positions and margins stroke speed and spindle speed etc.
- optional external interface for job data transfer by network or barcode driven
- in-line-connection to any speed compatible finishing system
- in-line to off-line reconfiguration in less than 10 minutes

Quality output


- consistent, operator independent, high quality accurate output
- safe and precise pile transport between head and foot pile guides
- precision position control for multiple stroke patterns such as twin wire binding patterns
- air table and low friction chrome-plated rollers ensure smooth and precise pile handling
- air pressure assisted pile lift prevents bottom sheet sticking to the drill belt



Dürselen PB.15 DoD fully automated high performance Drill on Demand



Dürselen PB.15 DoD: Automated drilling on demand



PB.15 und PB.15 DoD: For the broadest range of applications and hole patterns

Dürselen PB.15 DoD: fully automated high performance - Drill on Demand

The PB.15 DoD eliminates set-up time making finishing of short run digital printing profitable. Two drill heads with free position programming can produce any hole pattern at the touch of a button with fully automated control of paper format and spine margin. Set-up data can be recalled from job memory, read from barcode or sent via a networked workflow. For example changing between 4 holes 80 mm centres on A4 to 15 holes, pitch 2:1 on A5 is push button or programme controlled in a few seconds.

PB.15 DoD can run in-line with digital printers, both sheet-fed and continuous, after the cutting unit. The automated process - in-feed, jog, drill, delivery - ensures consistent, operator independent, high quality output. (The specification of the DoD-system is equivalent to the PB.15 apart from the drill heads and their control system.)

PB.15 and PB.15 DoD: key features of modern drilling system

Interactive short stroke

- increased productivity with low pile heights
- with thin products and low piles the drilling unit self adjusts to minimise travel stopping close above the pile height for the next pile

Stroke and spindle speed adjustment

- essential with drill bit diameters ranging from 3 to 14 mm (1/8" and 5/8")
- essential for difficult materials such as plastics to reduce drill bit breakage

drill bit air cooling and lubrication

- dramatically extended drill bit service
- less re-sharpening required
- mark-free holes with volatile lubricant

drill belt as drilling support

- economic compared to drill sticks
- clean holes down to the last sheet
- cost effective performance
- using special resilient plastic allows multiple drilling on the same spot
- hands-free motorised programmed drill belt movement

Dürselen PB.15 / PB.15 DoD Technical data

Technical data

Drill heads: *PB.15:* 4 heads standard, up to 15 heads or multi-spindle heads optional *PB.15 DoD:* two drill heads, freely programmable position under individual position control

drill bit diameter: 3 - 14 mm / 1/8" - 5/8"

minimum hole separation: $1 \text{ mm} / \frac{3}{64}^{\text{II}}$

minimum paper size: 120 x 80 mm / 4³/₄" x 3 ¹/₄" (drilled on the long side)

maximum paper size: 360 x 300 mm / 14½" x 12" (drilled on the long side)

maximum pile height: up 50 mm / 2", optionally up to 75 mm / 3"

spine margin behind drill bits: 5 - 25 mm / 3/16" - 1"

output: up to 1.500 piles / hour

space requirements incl. conveyor belts: 2.600 mm / 102" wide, 2.400 mm / 95" deep,

1.300 mm / 51" high

power requirements: 400 volts, 3 phases, 50 - 60 cycles, 25 A, 7,5 kW air consumption: 250 litres / minute at 6 bar pressure

Design and technical data are subject to change.



High performance drilling system PB.15 - constant reliable productivity

Dürselen GmbH Oppelner Straße 33 41199 Mönchengladbach, Germany phone +49 / 2166 / 609174 fax +49 / 2166 / 609178



www.duerselen.de info@duerselen.de