



# 2 COLOR JET PRESSES



## JET PRESS PERFECTOR JP-TWOD-P

- Prints Up To 229mm x 305mm = 9" x 12"
- Perfects Up To 108mm x 305mm = 4 1/4" x 12"
- Dual Feeder Option
- Maximum Speed 60,000 EPH



## SUPER JET PRESS JP-TWOD-6D

- Larger Printing Area (Up To 457mm x 305mm = 18" x 12")
- Perfects Up To 229mm x 305mm = 9" x 12"
- Dual Feed Standard
- Maximum Speed 60,000 EPH



## HIGH SPEED COLOR PRESSES

Halm Industries Co., Inc., 180 Glen Head Road, Glen Head, NY 11545-1995 • Phone (516) 676-6700 Fax (516) 676-6751  
IL (708) 956-8692 CA (714) 556-2848 GA (404) 948-0961 INTL 31-1711-19303

	<b>JET PRESS JP-TWOD-P</b>	<b>SUPER JET PRESS JP-TWOD-6D</b>																																										
<b>SHEET SIZE:</b>	229mm x 305mm = 9" x 12" (Maximum) 82mm x 108mm = 3 1/4" x 4 1/4" (Minimum)	457mm x 305mm = 18" x 12" (Maximum) 82mm x 108mm = 3 1/4" x 4 1/4" (Minimum)																																										
<b>PRINTING AREA:</b>	229mm x 305mm = 9" x 12" (Maximum) 82mm x 108mm = 3 1/4" x 4 1/4" (Minimum)	457mm x 305mm = 18" x 12" (Maximum) 82mm x 108mm = 3 1/4" x 4 1/4" (Minimum)																																										
<b>PERFECTING AREA:</b>	Four sided bleed, both sides, up to & including: 108mm x 305mm = 4 1/4" x 12"	Four side bleed, both sides, up to & including: 229mm x 305mm = 9" x 12"																																										
<b>SPEEDS:</b>	Minimum size 82mm x 108mm = 3 1/4" x 4 1/4" Up to 114mm x 305mm = 4 1/2" x 12"  <table style="margin-left: 20px;"> <tr> <td></td> <td style="text-align: center;">1UP</td> <td style="text-align: center;">2UP</td> <td></td> </tr> <tr> <td>One side only</td> <td style="text-align: center;">30,000</td> <td style="text-align: center;">60,000</td> <td>eph.</td> </tr> <tr> <td>Perfecting</td> <td style="text-align: center;">30,000</td> <td style="text-align: center;">———</td> <td>eph.</td> </tr> </table>		1UP	2UP		One side only	30,000	60,000	eph.	Perfecting	30,000	———	eph.	Minimum size 82mm x 108mm = 3 1/4" x 4 1/4" Up to 114mm x 305mm = 4 1/2" x 12" :  <table style="margin-left: 20px;"> <tr> <td></td> <td style="text-align: center;">1UP</td> <td style="text-align: center;">2 UP</td> <td style="text-align: center;">4UP</td> <td></td> </tr> <tr> <td>One side only</td> <td style="text-align: center;">15,000</td> <td style="text-align: center;">30,000</td> <td style="text-align: center;">60,000</td> <td>eph.</td> </tr> <tr> <td>Perfecting</td> <td style="text-align: center;">15,000</td> <td style="text-align: center;">30,000</td> <td style="text-align: center;">———</td> <td>eph.</td> </tr> </table> Up to 229mm x 305mm = 9" x 12": <table style="margin-left: 20px;"> <tr> <td>One side only</td> <td style="text-align: center;">15,000</td> <td style="text-align: center;">30,000</td> <td style="text-align: center;">———</td> <td>eph.</td> </tr> <tr> <td>Perfecting</td> <td style="text-align: center;">15,000</td> <td style="text-align: center;">———</td> <td style="text-align: center;">———</td> <td>eph.</td> </tr> </table> Up to 457mm x 305mm = 18" x 12": <table style="margin-left: 20px;"> <tr> <td>One side only</td> <td style="text-align: center;">15,000</td> <td style="text-align: center;">———</td> <td style="text-align: center;">———</td> <td>eph.</td> </tr> </table>		1UP	2 UP	4UP		One side only	15,000	30,000	60,000	eph.	Perfecting	15,000	30,000	———	eph.	One side only	15,000	30,000	———	eph.	Perfecting	15,000	———	———	eph.	One side only	15,000	———	———	eph.
	1UP	2UP																																										
One side only	30,000	60,000	eph.																																									
Perfecting	30,000	———	eph.																																									
	1UP	2 UP	4UP																																									
One side only	15,000	30,000	60,000	eph.																																								
Perfecting	15,000	30,000	———	eph.																																								
One side only	15,000	30,000	———	eph.																																								
Perfecting	15,000	———	———	eph.																																								
One side only	15,000	———	———	eph.																																								
<b>PLATE SIZE:</b>	252mm x 311mm x 0.2mm = 9 15/16" x 12 1/4" x .008"	494mm x 311mm x 0.2mm = 19 15/32" x 12 1/4" x .008"																																										
<b>BLANKET SPECIFICATIONS:</b>	.94mm = .037" including adhesive back	.94mm = .037" including adhesive back																																										
<b>MACHINE DIMENSIONS:</b>	Length 1,524mm = 5' Width: 885mm = 2' 10 3/4" Height: 1,620mm = 5' 3 1/2" Weight: 816 kg = 1,800 lbs	Length 1,880mm = 6' 2" Width: 885mm = 2' 10 3/4" Height: 1,620mm = 5' 3 1/2" Weight: 907 kg = 2,000 lbs																																										
<b>TABLE:</b>	Length: 1,828 mm = 6' Weight: 64 kg = 140 lbs	Length: 2,438mm = 8' Weight: 82 kg = 180 lbs																																										
<b>VOLTAGE REQUIRED:</b>	EUROPE (Standard): 380 v, 3 ph, 50 cyc USA (Standard) 220 v, 3 ph, 60 cyc All other voltages available.	EUROPE (Standard): 380 v, 3 ph, 50 cyc USA (Standard): 220 v, 3 ph, 60 cyc All other voltages available.																																										
<b>PLATE CYLINDER MOVEMENT:</b>	Circumferential: 360° Lateral: ± 3mm = 1/8" Plate Skewing Capacity: ± 1/2°	Circumferential: 360° Lateral: ± 3mm = 1/8" Plate Skewing Capacity: ± 1/2°																																										
<b>OPTIONS:</b>	SINGLE COLOR VERSION DRY OFFSET VERSION DUAL OR TOP FEEDER COUNTER & STEP TABLE MULTIPLE IMAGE PLATE "QUICK CHANGE" CYLINDER ADAPTOR REFRIGERATION	SINGLE COLOR VERSION DRY OFFSET VERSION COUNTER & STEP TABLE MULTIPLE IMAGE PLATE "QUICK CHANGE" CYLINDER ADAPTOR REFRIGERATION																																										



## HIGH SPEED COLOR PRESSES