

Rondissone, 00/00/0000

Company name

address

city

tel

FAX:


[www.](#)

Att:

OFFERTA N. AA/000/0000

Subject: Athos Maxi 160 machine designed and manufactured to apply the double-sided tape with semi-automatic feeder format 1600x1600mm.

We refer to your inquiry, and are glad to present you our best offer for the supply of machinery for applying double-sided tape. The equipment we offer is produced under exclusive license, trademark "APR SOLUTIONS"



Athos Maxi 160, a "Made in Italy" machine

APR Solutions srl

Via Aldo Moro n.10 • 10030 Rondissone TO - Italy

Tel.: +39 011 9182026 • Fax: +39 011 9182685

Email: info@aprsolutions.com • Sito: www.aprsolutions.com


Codice Fiscale • Partita IVA 11272840015

REA TO – 1200188 • Cap. Soc. € 10.000,00 Int. Vers.



Technical characteristics:

Format machine introduction	Max 1600 x 1600 mm
	Min 100 x 100 mm
Tape width (Min-Max)	From 9 mm – 25 mm and on request up to 50 mm and 100 mm
Min cardboard weigh	150 g/m ²
Max cardboard weight	800 g/m ² and corrugated flute, type E, B, C, A, BC, and PVC, Plastic, Acrylic, wood, aluminium sheets From 1 mm up to 8 mm
Double sided tape materials type	Banner tape, or PVC tape, acrylic tape, Tissue tape, transfer tape, Foam tape up to 3mm, VHB tape for automotive
N. of application	From 1 to 10
Max length tape applicable	999 mm On request up to 9999mm
Min. distance between application and the next in line	25mm
Min. length application of the tape	35mm
Min. distance of the tape from the edge of the paper	10mm
Min. distance of the tape from the edge of the cardboard	0mm
Min. distance between one application and the other in parallel	0mm
Max outer diameter roll tape	480 mm
Internal diameter roll tape	76 mm
Margin of error in application	± 1 mm
Mechanical Speed	120 m/min
Power connection for Rap	Electro Pneumatic
Power connection of the machien	2 Kw
Machine dimensions	3575 x 1850 h 1590 mm



- Fix register side system positioned before the Rap applicator for the application of adhesive tape
- No. 3 "Bruco", main paper transport devices with transmission system, complete of small wheels.




- The applicator is adjustable in height, and left/right site by the new system of linear crank displacement.
- The setup and programming of the PLC does not require a professional operator, in fact with our touch screen, it would be possible to be used by an operator without experience.
- Standard Athos Maxi machine equipped with no. 2 Rap applicators one left and the second one right
- Athos Maxi machine upgradable to add other N.4 Rap applicator.

Delivery Manual Table

Collection box with a side alignment for easy delivery of the sheets.

Some products that can be finished with the **ATHOS MAXI 160** machine



Total price

Euro 00.000,00

Offer valid for 30 days

Selling conditions

Terms of delivery:	To be agreed upon.
Packing:	Included
Transport & insurance:	Not included
Installation:	Not Included 800,00 Euro per day for max 3 Days, included travelling days.
Guarantee:	24 months on defective mechanical parts built by APR Solutions, and 24 months on commercial parts: tapes, belts, chains, rollers, handles, motors, and all electrical parts included plc and touch screen devices. Delivery of the parts claimed under warranty from our Torino factory while the defective parts must be returned to APR Solutions S.r.l., Italy to inspection. Warranty does not cover any production loss/penalty suffered by customer due to defective parts, or any other reason.
Terms of Payment:	30% by confirmation order and 70% before loading by bank transfer.

Sales Department
Ahmed Mouneib



APR Solutions S.R.L

Via Aldo Moro n.10
10030 – Rondissone (TO)
Italy
Tel: +39 011 9182026
Fax: +39 011 9182685
a.m@aprsolutionsssl.com
www.aprsolutionsssl.com

