



From 1911 **SAROGLIA** is a authoritative name in the press.

Taking advantage of a past so important will still look with passion and innovation to the new needs of the market.

Today companies require finishing processes ever more specific and high quality materials.

SAROGLIA meets these requirements with high-performance, highly flexible machinery for the application of hot and cold foil and UV Casting.

Common features and ease of use, which results in a great economy of operation.





2 registration regulations

330

ECONOMY

Exchange work in 15 minutes




From 900 to 2.600 sheets/hour




QUALITY

Left and right Micrometric Register

MAINTENANCE lubricated, minimizes the interventions



All command and control functions of the machine and the production reports are concentrated in Touch Screen of easy and intuitive use



The system of protections was designed to allow the film reel changeover in total safety without having to disconnect the feeder

Contact the system allows precise movements of the honeycomb plates

facilitating register resulting in reduced time

340

Technical features

Max sheet size

Min sheet size

Cutting size

Feeding/Delivering pile height

Power Pressure

Yeld Sheets/hour

Max

Suitable for paper/Carboard

Net weight

Foil rolls core/size

Horse power

Compressed air

Die height

56x74 cm - 22"x29"

6x18 cm - 6,3"x7,1"

51x71 cm - 20"x28"

81/18 cm - 32"/7,2"

110.000 Kg/110 Tons

up to 2.600 copies

5.200 copies/h

From 80 to 1.000 gr/m2; max 5 mm Thickness


198 cm

4.160 Kg

25mm/1" - 135mm/5,31"

11,5 KW





SAROGLIA Service s.r.l.

Strada del Cascinotto 156/int. 5b, 10156 Torino (TO) Italia Tel. +39 011 2979264 - Fax. +39 011 3740866

P.IVA 10231370015

info@saroglia.it - www.saroglia.it

